

10/705,762

Welcome to STN International! Enter x:x

LOGINID:sssptal611bxv

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 Apr 08 "Ask CAS" for self-help around the clock
NEWS 3 Jun 03 New e-mail delivery for search results now available
NEWS 4 Aug 08 PHARMAMarketLetter(PHARMAML) - new on STN
NEWS 5 Aug 19 Aquatic Toxicity Information Retrieval (AQUIRE)
now available on STN
NEWS 6 Aug 26 Sequence searching in REGISTRY enhanced
NEWS 7 Sep 03 JAPIO has been reloaded and enhanced
NEWS 8 Sep 16 Experimental properties added to the REGISTRY file
NEWS 9 Sep 16 CA Section Thesaurus available in CAPLUS and CA
NEWS 10 Oct 01 CASREACT Enriched with Reactions from 1907 to 1985
NEWS 11 Oct 24 BEILSTEIN adds new search fields
NEWS 12 Oct 24 Nutraceuticals International (NUTRACEUT) now available on STN
NEWS 13 Nov 18 DKILIT has been renamed APOLLIT
NEWS 14 Nov 25 More calculated properties added to REGISTRY
NEWS 15 Dec 04 CSA files on STN
NEWS 16 Dec 17 PCTFULL now covers WP/PCT Applications from 1978 to date
NEWS 17 Dec 17 TOXCENTER enhanced with additional content
NEWS 18 Dec 17 Adis Clinical Trials Insight now available on STN
NEWS 19 Jan 29 Simultaneous left and right truncation added to COMPENDEX,
ENERGY, INSPEC
NEWS 20 Feb 13 CANCERLIT is no longer being updated
NEWS 21 Feb 24 METADEX enhancements
NEWS 22 Feb 24 PCTGEN now available on STN
NEWS 23 Feb 24 TEMA now available on STN
NEWS 24 Feb 26 NTIS now allows simultaneous left and right truncation
NEWS 25 Feb 26 PCTFULL now contains images
NEWS 26 Mar 04 SDI PACKAGE for monthly delivery of multifile SDI results
NEWS 27 Mar 19 APOLLIT offering free connect time in April 2003
NEWS 28 Mar 20 EVENTLINE will be removed from STN
NEWS 29 Mar 24 PATDPAFULL now available on STN
NEWS 30 Mar 24 Additional information for trade-named substances without
structures available in REGISTRY
NEWS 31 Mar 24 Indexing from 1957 to 1966 added to records in CA/CAPLUS
NEWS 32 Apr 11 Display formats in DGENE enhanced
NEWS 33 Apr 14 MEDLINE Reload

NEWS EXPRESS April 4 CURRENT WINDOWS VERSION IS V6.01a, CURRENT
MACINTOSH VERSION IS V6.0b(ENG) AND V6.0Jb(JP),
AND CURRENT DISCOVER FILE IS DATED 01 APRIL 2003
NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

10/705,762

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 15:44:38 ON 15 APR 2003

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 15:44:43 ON 15 APR 2003

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2003 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 14 APR 2003 HIGHEST RN 502958-40-9

DICTIONARY FILE UPDATES: 14 APR 2003 HIGHEST RN 502958-40-9

TSCA INFORMATION NOW CURRENT THROUGH MAY 20, 2002

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details:


<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

=>Testing the current file.... screen

ENTER SCREEN EXPRESSION OR (END):end

=>

Uploading C:\STNEXP4\QUERIES\10211992.str



L1 STRUCTURE UPLOADED


=> que L1

L2 QUE L1

=> d 11

L1 HAS NO ANSWERS

L1 STR



G1 N, Cy

G2 Cy, [01]

G3 Cy, [02], [03], [04]

Structure attributes must be viewed using STN Express query preparation.

=> s 11 sss sam

SAMPLE SEARCH INITIATED 15:45:07 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 422 TO ITERATE

10/705,762

100.0% PROCESSED 422 ITERATIONS
SEARCH TIME: 00.00.01

1 ANSWERS

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
 BATCH **COMPLETE**
PROJECTED ITERATIONS: 7208 TO 9672
PROJECTED ANSWERS: 1 TO 80


L3 1 SEA SSS SAM L1

=> d scan

10/705,762

L3 1 ANSWERS REGISTRY COPYRIGHT 2003 ACS
IN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-6-[(2,6-
difluorophenyl)methyl]-2-(2-fluorophenyl)- (9CI)
MF C24 H19 F3 N4 O2

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

10/705,762

=> s l1 sss sam

SAMPLE SEARCH INITIATED 15:45:23 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 422 TO ITERATE

100.0% PROCESSED 422 ITERATIONS 1 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 7208 TO 9672
PROJECTED ANSWERS: 1 TO 80

L4 1 SEA SSS SAM L1

=> s l1 sss ful

FULL SEARCH INITIATED 15:45:32 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 8844 TO ITERATE

100.0% PROCESSED 8844 ITERATIONS 47 ANSWERS
SEARCH TIME: 00.00.01

L5 47 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	148.55	148.76

FILE 'CAPLUS' ENTERED AT 15:45:38 ON 15 APR 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 15 Apr 2003 VOL 138 ISS 16
FILE LAST UPDATED: 14 Apr 2003 (20030414/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l5

L6 11 L5

=> d l5 1-11 bib hitstr

YOU HAVE REQUESTED DATA FROM FILE 'REGISTRY' - CONTINUE? (Y)/N:n

10/705,762

=> d 16 1-11 bib hitstr

10/705,762

L6 ANSWER 1 OF 11 CAPLUS COPYRIGHT 2003 ACS
AN 2003:117810 CAPLUS
DN 138:170258
TI Preparation of 1,2,4-triazine-3,5-diones as gonadotropin-releasing hormone
receptor (GnRH) antagonists
IN Pontillo, Joseph; Guo, Zhiqiang; Wu, Dongpei
PA Neurocrine Biosciences, Inc., USA
SO PCT Int. Appl., 47 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003011841	A1	20030213	WO 2002-US24454	20020802
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
PRAI	US 2001-309911P	P	20010802		
	US 2001-309965P	P	20010802		
	US 2001-309981P	P	20010802		

OS MARPAT 138:170258

IT 496912-75-5P 496912-76-6P 496912-77-7P
496912-78-8P 496912-79-9P 496912-80-2P
496912-81-3P 496912-82-4P 496912-83-5P
496912-84-6P 496912-85-7P 496912-86-8P
496912-87-9P 496912-88-0P 496912-89-1P
496912-90-4P 496912-91-5P 496912-92-6P
496912-93-7P 496912-94-8P 496912-95-9P
496912-96-0P 496912-97-1P 496912-98-2P
496912-99-3P 496913-00-9P 496913-01-0P
496913-02-1P 496913-03-2P 496913-04-3P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of 1,2,4-triazine-3,5-diones as gonadotropin-releasing hormone receptor (GnRH) antagonists for treating sex-hormone related conditions)

RN 496912-75-5 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-phenyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-76-6 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-(2-fluoro-3-methoxyphenyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-77-7 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-6-(2-chlorophenyl)-2-[(2,6-difluorophenyl)methyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-78-8 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-(2-methylphenyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-79-9 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-(2-ethylphenyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-80-2 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-(2-methoxyphenyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-81-3 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-(2-ethoxyphenyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-82-4 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-[2-(trifluoromethyl)phenyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-83-5 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-(2,3-dimethylphenyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-84-6 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-(2,5-dimethylphenyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-85-7 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-6-(2,4-dichlorophenyl)-2-[(2,6-difluorophenyl)methyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-86-8 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-(2,4-dimethoxyphenyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-87-9 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-(2,5-dimethoxyphenyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-88-0 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-(5-fluoro-2-methoxyphenyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-89-1 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-(2-methoxy-5-methylphenyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-90-4 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-[2-methoxy-5-(1-methylethyl)phenyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-91-5 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-6-(5-chloro-2-methoxyphenyl)-2-[(2,6-difluorophenyl)methyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-92-6 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-(2,4,6-trimethylphenyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-93-7 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-6-benzo[b]thien-3-yl-2-[(2,6-difluorophenyl)methyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-94-8 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-(8-quinolinyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-95-9 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-(1-naphthalenyl)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




10/705,762

RN 496912-96-0 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-phenoxy- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-97-1 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-(phenylthio)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-98-2 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-[(2-fluorophenyl)thio]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496912-99-3 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-(1-pyrrolidinyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496913-00-9 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-2-[(2,6-difluorophenyl)methyl]-6-(4-morpholinyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496913-01-0 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-6-[(2,6-difluorophenyl)methyl]-2-phenyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496913-02-1 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-[(2R)-2-amino-2-phenylethyl]-6-[(2,6-difluorophenyl)methyl]-2-(2-fluorophenyl)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 496913-03-2 CAPLUS

10/705,762

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 2-[(2R)-2-amino-2-phenylethyl]-6-[(2,6-difluorophenyl)methyl]-4-phenyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496913-04-3 CAPLUS

CN 1,2,4-Triazine-3,5(2H,4H)-dione, 2-[(2R)-2-amino-2-phenylethyl]-6-[(2,6-difluorophenyl)methyl]-4-(3-methoxyphenyl)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT **496913-06-5P 496913-09-8P 496913-11-2P**


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of 1,2,4-triazine-3,5-diones as gonadotropin-releasing hormone receptor (GnRH) antagonists for treating sex-hormone related conditions)

RN 496913-06-5 CAPLUS

CN Carbamic acid, [(1R)-2-[2-[(2,6-difluorophenyl)methyl]-2,5-dihydro-3,5-dioxo-6-phenyl-1,2,4-triazin-4(3H)-yl]-1-phenylethyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496913-09-8 CAPLUS

CN Carbamic acid, [(1R)-2-[2-[(2,6-difluorophenyl)methyl]-6-(2-fluoro-3-methoxyphenyl)-2,5-dihydro-3,5-dioxo-1,2,4-triazin-4(3H)-yl]-1-phenylethyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 496913-11-2 CAPLUS

CN Carbamic acid, [(1R)-2-[6-[(2,6-difluorophenyl)methyl]-2,5-dihydro-3,5-dioxo-2-phenyl-1,2,4-triazin-4(3H)-yl]-1-phenylethyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.



10/705,762

RE.CNT 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

10/705,762

L6 ANSWER 2 OF 11 CAPLUS COPYRIGHT 2003 ACS

AN 1995:780644 CAPLUS

DN 123:241940

TI Electrophotographic organic photoreceptors with improved photosensitivity

IN Fukami, Toshuki

PA Mita Industrial Co Ltd, Japan

SO Jpn. Kokai Tokkyo Koho, 7 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 07152181	A2	19950616	JP 1993-298471	19931129
PRAI	JP 1993-298471		19931129		

OS MARPAT 123:241940


IT **168324-35-4**

RL: DEV (Device component use); MOA (Modifier or additive use); USES
(Uses)

(electrophotog. photoreceptors containing triazines, phthalocyanine, and
diphenoquinones)

RN 168324-35-4 CAPLUS


CN 1,2,4-Triazine-3,5(2H,4H)-dione, 2,4,6-triphenyl- (9CI) (CA INDEX NAME)



10/705,762


L6 ANSWER 3 OF 11 CAPLUS COPYRIGHT 2003 ACS
AN 1990:441144 CAPLUS
DN 113:41144
TI Reaction of some 1,2,4-triazines with acetobromoglucose
AU Eid, Mohga M.; Abdel Hady, Sayed A.; Ali, Hosny A. W.
CS Fac. Sci., Univ. Cairo, Giza, Egypt
SO Archiv der Pharmazie (Weinheim, Germany) (1990), 323(4), 243-5
CODEN: ARPMAS; ISSN: 0365-6233
DT Journal
LA English
OS CASREACT 113:41144
IT **128009-77-8P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)
RN 128009-77-8 CAPLUS
CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-(4-methoxyphenyl)-6-[(4-methoxyphenyl)methyl]-2-(2,3,4,6-tetra-O-acetyl- β -D-glucopyranosyl)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.




10/705,762

L6 ANSWER 4 OF 11 CAPLUS COPYRIGHT 2003 ACS
AN 1986:214 CAPLUS
DN 104:214
TI Preclinical evaluation of the antitumor activity of new epoxide
derivatives
AU Atassi, G.; Dumont, P.; Fisher, U.; Zeidler, M.; Budnowski, M.
CS Lab. Exp. Chemother. Screening, Inst. Jules Bordet, Brussels, Belg.
SO Cancer Treatment Reviews (1984), 11(Suppl. A), 99-110
CODEN: CTREDJ; ISSN: 0305-7372
DT Journal
LA English
IT **94344-93-1**
RL: BAC (Biological activity or effector, except adverse); BSU (Biological
study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES
(Uses)
(neoplasm inhibition by)
RN 94344-93-1 CAPLUS
CN 1,2,4-Triazine-3,5(2H,4H)-dione, 6-(3-furanyl)-2,4-bis(oxiranylmethyl)-
(9CI) (CA INDEX NAME)




10/705,762

L6 ANSWER 5 OF 11 CAPLUS COPYRIGHT 2003 ACS
AN 1985:55644 CAPLUS
DN 102:55644
TI Preclinical evaluation of antitumor activity of new epoxide derivatives
AU Atassi, G.; Dumont, P.; Fischer, U.; Zeidler, M.; Budnowski, M.
CS Lab. Exp. Chemother. Bestrahlung, Inst. Jules Bordet, Brussels, B-1000, Belg.
SO Contributions to Oncology (1984), 18(Resistenzprobl. Chemo-Radiother. Malig. Tumoren), 221-34
CODEN: COONEV; ISSN: 0250-3220
DT Journal
LA German
IT **94344-93-1**
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(neoplasm inhibiting activity of, structure in relation to)
RN 94344-93-1 CAPLUS
CN 1,2,4-Triazine-3,5(2H,4H)-dione, 6-(3-furanyl)-2,4-bis(oxiranylmethyl)- (9CI) (CA INDEX NAME)




10/705,762

L6 ANSWER 6 OF 11 CAPLUS COPYRIGHT 2003 ACS
AN 1985:6428 CAPLUS
DN 102:6428
TI Investigation of the antitumor activity of new epoxide derivatives. Part
II: N-Glycidylated oxo-nitrogen heterocycles
AU Fischer, H.; Moeller, H.; Budnowski, M.; Atassi, G.; Dumont, P.; Venditti,
J.; Yoder, O. C.
CS Henkel K.-G.a.A., Duesseldorf, D-4000/1, Fed. Rep. Ger.
SO Arzneimittel-Forschung (1984), 34(6), 663-8
CODEN: ARZNAD; ISSN: 0004-4172
DT Journal
LA English
IT **93561-86-5P**
RL: BAC (Biological activity or effector, except adverse); BSU (Biological
study, unclassified); SPN (Synthetic preparation); BIOL (Biological
study); PREP (Preparation)
(preparation and antitumor activity of)
RN 93561-86-5 CAPLUS
CN 1,2,4-Triazine-3,5(2H,4H)-dione, 6-(2-furanyl)-2,4-bis(oxiranylmethyl)-
(9CI) (CA INDEX NAME)




10/705,762

L6 ANSWER 7 OF 11 CAPLUS COPYRIGHT 2003 ACS
AN 1978:22844 CAPLUS
DN 88:22844
TI Studies on some 1,2,4-triazine derivatives. IV. The behavior of some derivatives of 1,2,4-triazine toward amines, alkylation, and the Mannich reaction
AU Mansour, A. K.; Ibrahim, Y. A.; Eid, M. M.
CS Fac. Sci., Cairo Univ., Giza, Egypt
SO Bulletin of the Faculty of Science, Cairo University (1973), 46, 549-56
CODEN: BUUCAL; ISSN: 0366-4740
DT Journal
LA English
IT **65031-44-9P**
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and hydrolysis of)
RN 65031-44-9 CAPLUS
CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-(4-methylphenyl)-6-phenyl-2-(1-piperidinylmethyl)- (9CI) (CA INDEX NAME)



IT **65031-45-0P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)
RN 65031-45-0 CAPLUS
CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4-(4-methylphenyl)-2-(4-morpholinylmethyl)-6-phenyl- (9CI) (CA INDEX NAME)




10/705,762


L6 ANSWER 8 OF 11 CAPLUS COPYRIGHT 2003 ACS
AN 1975:43470 CAPLUS
DN 82:43470
TI 4H-Benzo[b][1,2,4]triazino[5,6-e][1,4]thiazin-3(2H)-ones
IN Kaji, Kenji; Nagashima, Hiroshi; Masaki, Yukio; Yoshida, Minoru; Kamiya, Koji
SO Jpn. Kokai Tokkyo Koho, 3 pp.
CODEN: JKXXAF
DT Patent
LA Japanese
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 49048697	A2	19740511	JP 1972-92353	19720913
	JP 50038117	B4	19751206		
PRAI	JP 1972-92353		19720913		


IT **54682-04-1P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)
RN 54682-04-1 CAPLUS
CN 1,2,4-Triazine-3,5(2H,4H)-dione, 6-[(2-aminophenyl)thio]-2,4-bis(phenylmethyl)- (9CI) (CA INDEX NAME)




L6 ANSWER 9 OF 11 CAPLUS COPYRIGHT 2003 ACS
AN 1974:552160 CAPLUS
DN 81:152160
TI 1,2,4-Triazine derivatives. V. Behavior of derivatives of 1,2,4-triazine towards phenylmagnesium bromide, methylating agents, and Mannich reaction
AU Mansour, Abdel K.; Ibrahim, Yehia A.; Eid, Mohga M.
CS Fac. Sci., Univ. Cairo, Giza, Egypt
SO Indian Journal of Chemistry (1974), 12(3), 301-3
CODEN: IJOCAP; ISSN: 0019-5103
DT Journal
LA English
IT **53687-97-1P 53687-98-2P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)
RN 53687-97-1 CAPLUS
CN 1,2,4-Triazine-3,5(2H,4H)-dione, 4,6-diphenyl-2-(1-piperidinylmethyl)-
(9CI) (CA INDEX NAME)




RN 53687-98-2 CAPLUS
CN 1,2,4-Triazine-3,5(2H,4H)-dione, 2-(4-morpholinylmethyl)-4,6-diphenyl-
(9CI) (CA INDEX NAME)




L6 ANSWER 10 OF 11 CAPLUS COPYRIGHT 2003 ACS
AN 1970:132681 CAPLUS
DN 72:132681
TI Behavior of some derivatives of 1,2,4-triazines toward alkylmagnesium
halides, diazomethane and in the Mannich reaction
AU Mustafa, Ahmed; Mansour, Abdel K.; Zaher, Hussein A.
CS Fac. Sci., Cairo Univ., Cairo, Egypt
SO Justus Liebigs Annalen der Chemie (1970), 733, 177-9
CODEN: JLACBF; ISSN: 0075-4617
DT Journal
LA German
IT **27419-07-4P 27419-08-5P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)
RN 27419-07-4 CAPLUS
CN as-Triazine-3,5(2H,4H)-dione, 6-phenyl-2,4-bis(piperidinomethyl)- (8CI)
(CA INDEX NAME)




RN 27419-08-5 CAPLUS
CN as-Triazine-3,5(2H,4H)-dione, 2,4-bis(morpholinomethyl)-6-phenyl- (8CI)
(CA INDEX NAME)



L6 ANSWER 11 OF 11 CAPLUS COPYRIGHT 2003 ACS
 AN 1970:100652 CAPLUS
 DN 72:100652
 TI Nitrofuryl heterocycles. X. Analogs of 6-(5-nitro-2-furyl)-as-triazine-3,5(2H,4H)-dione
 AU Burch, Homer A.
 CS Chem. Div., Norwich Pharm. Co., Norwich, NY, USA
 SO Journal of Medicinal Chemistry (1970), 13(2), 288-91
 CODEN: JMCMAR; ISSN: 0022-2623
 DT Journal
 LA English
 IT **26234-16-2P 26263-48-9P**
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 RN 26234-16-2 CAPLUS
 CN as-Triazine-3,5(2H,4H)-dione, 6-(5-nitro-2-furyl)-2,4-diphenacyl- (8CI)
 (CA INDEX NAME)



RN 26263-48-9 CAPLUS
 CN as-Triazine-3,5(2H,4H)-dione, 2,4-bis[2-(diisopropylamino)ethyl]-6-(5-nitro-2-furyl)- (8CI) (CA INDEX NAME)



10/705,762

=> log y

COST IN U.S. DOLLARS

SINCE FILE
ENTRY
35.25

TOTAL
SESSION
184.01

FULL ESTIMATED COST

STN INTERNATIONAL LOGOFF AT 15:46:46 ON 15 APR 2003